Carbohydrate Research, 222 (1991) c11–c12
Elsevier Science Publishers B.V., Amsterdam

AUTHOR INDEX

Adinolfi, M., 215
Akamatsu, Y., 57, 69, 83
Antonakis, K., 277
Arai, M., 57, 69, 83
Areces, P., 99
Avalos, M., 99

Babiano, R., 99
Bayer, E., 23
Bender, H., 239
Bols, M., 141
Botvinko, I. V., 233

Ceccorulli, G., 205
Chang, K.-Y., 121
Chittenden, G. J. F., 283
Constantinou-Kokotou, V., 163
Corsaro, M. M., 215
Couladouros, E. A., 163

Danilova, I. V., 233
Derevitskaya, V. A., 233

El Sadek, M. M., 267
El Soccary, N. N., 267

Farooqi, M. I. H., 289
Fokt, I., 271
Fukunaga, K., 37

Georgiadis, M. P., 163
Georgiadis, T. M., 163
González, L., 99

Hahne, M., 245
Hanaya, T., 11
Harata, K., 37, 113
Hasegawa, A., c1
Hiraoka, T., 57, 69, 83
Huang, D., 47

Imai, K., 255
Ishida, N., 57, 69, 83
Ito, K.-i., 255

Jann, B., 245
Jann, K., 245
Jeffrey, G. A., 47
Jiménez, J. L., 99
Joseleau, J.-P., 289
Jung, M., 23

Kapoor, V. P., 289
Kiso, M., c1
Kobayashi, Y., 57, 69, 83
Kokotos, G., 163
Kuge, S., 57, 69, 83

Leclercq, F., 277
Likhosherstov, L. M., 233
Lindberg, B., 113
Lindberg, J., 113
Luger, P., 11
Lundt, I., 141

Mangoni, L., 215
Manna, S., 261
McAnalley, B. H., 261
Metzger, J., 23
Midtvedt, T., 1
Mukaiyama, S., 173

Nakata, M., 189
Nishijima, M., 57, 69, 83
Niwata, Y., 189

Oshima, M., 255
Otsuka, T., 57, 69, 83
Ottosen, E. R., 141

Palacios, J. C., 99
Parrilli, M., 215
Pilo, M. D., 99
Pitha, J., 37, 113
Pizzoli, M., 205
Poerio, E., 215
Prabhanjan, H., c1

Rao, C. T., 37, 113
Rapp, P., 223
Richter, T., 11

Scandola, M., 205
Schmalzing, D., 23
Schulz, D., 223
Schurig, V., 23
Senchenkova, S. N., 233
Shashkov, A. S., 233
Shiozaki, M., 57, 69, 83
Slayter, H. S., 1
Szeja, W., 271

Taravel, F. R., 289
Tatsuta, K., 173, 189

Tezuka, Y., 255
Toshima, K., 173, 189

Uekama, K., 37
Umezawa, K., 189

Varela, O., 131
Vogel, P., 151

Wagner, J., 151
Wang, K.-T., 121
Wold, J. K., 1
Wu, S.-H., 121

Yamamoto, H., 11
Yoshida, T., 173

Zunszain, P. A., 131

Carbohydrate Research, 222 (1991) c13–c15
Elsevier Science Publishers B.V., Amsterdam

SUBJECT INDEX

Acacia nilotica gum exudates, structure of, 289
Acacia trees from India and Africa, comparison of structures of gum exudates from, 289
N-[1-Acetyl-5-(D-*arabino*-tetraacetoxybutyl)-2-methyl-3-pyrroyl]-*N*-phthalimidoacetamide, synthesis of, 267
Acetylenic dipolarophiles, synthesis and reactivity of imidazo[2,1-*b*]thiazolium-3-olate systems toward, 99
Acetyl migration, evidence of, during the methylation of methyl 2,3,4-tri-*O*-acetyl-D-mannose with diazomethane–boron trifluoride etherate, 261
Analysis of cyclomalto-oligosaccharides (cyclodextrins) and derivatives thereof by ion-spray mass spectrometry, 23
2,2′-Anhydro-1-(3-deoxy-3-fluoro-4,6-*O*-isopropylidene-*β*-D-altropyranosyl)pyrimidines, a one-pot synthesis of, 277
Asymmetric synthesis of 6-deoxy-5-*C*-methyl-D-*ribo*-hexose, and structure in aqueous solution, 151
Azotobacter beijerinckii B-1615, structure of the major exopolysaccharide produced by, 233

Branched saccharides formed by the action of His-modified cyclodextrin glycosyltransferase from *Klebsiella pneumoniae* on starch, 239

Capsular polysaccharide (K98 antigen) of *E. coli* O7:K98:H6, structure of the, 245
Cellulose derivative having ether and ester substituents, ^{13}C-n.m.r. structural study of an enteric pharmaceutical coating, 255
Chitosan in the solid state, molecular motion of, 205
Crystal structure of 2-*O*-[(*S*)-2-hydroxypropyl]cyclomaltoheptaose, 37
Crystal structure of α,*β*-panose, hydrogen bonding in the, 47
Cyclodextrin glycosyltransferase from *Klebsiella pneumoniae*, branched saccharides formed by the action on starch of His-modified, 239
Cyclomaltoheptaose, crystal structure of 2-*O*-[(*S*)-2-hydroxypropyl]-, 37
Cyclomaltoheptaose, synthesis of some 2-*O*-(2-hydroxyalkyl) and 2-*O*-(2,3-dihydroxyalkyl) derivatives of, 113
Cyclomalto-oligosaccharides (cyclodextrins) and derivatives thereof, analysis by ion-spray mass spectrometry, 23
Cyclophellitols, total synthesis of glucosidase inhibitors, 189

De novo highly stereocontrolled synthesis of 2,6-dideoxy sugars by use of 2,6-anhydro-2-thio sugars, 173
Deacetylation of octa-*O*-acetylsucrose, preparation of hepta-*O*-acetylsucroses by regioselective enzymic, 121
6-Deoxy-5-*C*-methyl-D-*ribo*-hexose, total asymmetric synthesis and structure in aqueous solution, 151
2,6-Dideoxy sugars by use of 2,6-anhydro-2-thio sugars, *de novo* highly stereocontrolled synthesis of, 173
Diethylaminosulfur trifluoride, action on 1-(4,6-*O*-isopropylidene-*β*-D-glucopyranosyl)pyrimidines, 277
1,2:5,6-Di-*O*-isopropylidene-D-mannitol, some new aspects of the synthesis and isolation of, 283
Disialoganglioside GD1α, total synthesis of a, c1
DL-Prumycin, 3-deoxy-, (4-(D-alanylamino)-2-amino-2,3,4-trideoxy-DL-*threo*-pentose), total synthesis of, 163

E. coli O7:K98:H6, structure of the capsular polysaccharide (K98 antigen) of, 245
Encephalartos friderici guilielmi, studies of an acidic polysaccharide from, 215
Enteric pharmaceutical coating cellulose derivative having ether and ester substituents, ^{13}C-n.m.r. structural study of an, 255
Exopolysaccharide produced by *Azotobacter beijerinckii* B-1615, structure of the major, 233

Fluorosugar analogues of GLA-60: 2,6-dideoxy-6-fluoro-2-[(3*R*)- and (3*S*)-3-hydroxytetradecanamido]-3-*O*-[(3*R*)-3-(tetradecanoyloxy)tetradecanoyl]-D-glucopyranose and 2-deoxy-2-[(3*R*)- and (3*S*)-3-hydroxytetradecanamido]-3-*O*-[(3*R*)-3-(tetradecanoyloxy)tetradecanoyl]-α-D-glucopyranosyl fluoride 4-(dihydrogen phosphate), syntheses of, 83

Germ-free rats, intestinal mucin of, 1
GLA-60, fluorosugar analogues of: 2,6-dideoxy-6-fluoro-2-[(3*R*)- and (3*S*)-3-hydroxytetradecanamido]-3-*O*-[(3*R*)- and (3*S*)-3-hydroxytetradecanamido]-3-*O*-[(3*R*)-3-(tetradecanoyloxy)tetradecanoyl]-α-D-glucopyranosyl fluoride 4-(dihydrogen phosphate), syntheses of, 83

D-Glucopyranose, 2-deoxy-2-[(3*R*)-3-hydroxytetradecanamido]-3-*O*-[(3*R*)-3-hydroxytetradecanyl]-4-*O*-phosphono-, and 2-deoxy-2-[(3*R*)-3-hydroxytetradecanamido]-3-*O*-[(3*R*)-3-hydroxytetradecanyl]-α-D-glucopyranosyl dihydrogen phosphate, synthesis of, 57
D-Glucopyranose, 4-(dihydrogen phosphate), 2,6-dideoxy-6-fluoro-2-[(3*R*)- and (3*S*)-3-hydroxytetradecanamido]-3-*O*-[(3*R*)-3-(tetradecanoyloxy)tetradecanoyl]-, and 2-deoxy-2-[(3*R*)- and (3*S*)-3-hydroxytetradecanamido]-3-*O*-[(3*R*)-3-(tetradecanoyloxy)tetradecanoyl]-α-D-glucopyranosyl fluoride 4-(dihydrogen phosphate): fluorosugar analogues of GLA-60, syntheses of, 83
α-D-Glucopyranosyl dihydrogen phosphate, 2-deoxy-2-[(3*R*)-3-hydroxytetradecanamido]-3-*O*-[(3*R*)-3-hydroxytetradecanyl]-, and 2-deoxy-2-[(3*R*)-3-hydroxytetradecanamido]-3-*O*-[(3*R*)-3-hydroxytetradecanyl]-4-*O*-phosphono-D-glucopyranose, synthesis of, 57
α-D-Glucopyranosyl fluoride 4-(dihydrogen phosphate), 2-deoxy-2-[(3*R*)- and (3*S*)-3-hydroxytetradecanamido]-3-*O*-[(3*R*)-3-(tetradecanoyloxy)tetradecanoyl]- and 2,6-dideoxy-6-fluoro-2-[(3*R*)- and (3*S*)-3-hydroxytetradecanamido]-3-*O*-[(3*R*)-3-(tetradecanoyloxy)tetradecanoyl]-D-glucopyranose 4-(dihydrogen phosphate): fluorosugar analogues of GLA-60, syntheses of, 83
Glucosidase inhibitors: cyclophellitols, total synthesis of, 189
Glycosyl donors, synthesis of derivatives of L-rhamnose and L-glucose for use as, 141
Glycosyltransferase from *Klebsiella pneumoniae*, branched saccharides formed by the action on starch of His-modified cyclodextrin, 239
Gum exudate from *Acacia nilotica*, structure of, 289

Hydrogen bonding in the crystal structure of α,β-panose, 47
2-*O*-(2-Hydroxyalkyl) and 2-*O*-(2,3-dihydroxyalkyl) derivatives of cyclomaltohexaose, synthesis of some, 113
2-*O*-[(*S*)-2-Hydroxypropyl]cyclomaltoheptaose, crystal structure of, 37

Imidazo[2,1-*b*]thiazolium-3-olate systems, synthesis and reactivity toward acetylenic dipolarophiles, 99
Ion-spray mass spectrometry, analysis of cyclomalto-oligosaccharides (cyclodextrins) and derivatives thereof by, 23

Lipid A, 3-ether analogue of, 69

D-Mannose, 2,3,4-tri-*O*-acetyl-, methyl, evidence of acetyl migration during the methylation of, with diazomethane–boron trifluoride etherate, 261
Methylation of methyl 2,3,4-tri-*O*-acetyl-D-mannose with diazomethane–boron trifluoride etherate, evidence of acetyl migration during the, 261
Molecular motion of chitosan in the solid state, 205
Motion of chitosan in the solid state, molecular, 205
Mucin, intestinal, of germ-free rats, 1

New aspects of the synthesis and isolation of 1,2:5,6-di-*O*-isopropylidene-D-mannitol, 283
^{13}C-N.m.r. structural study of an enteric pharmaceutical coating cellulose derivative having ether and ester substituents, 255

Octa-*O*-acetylsucrose, preparation of hepta-*O*-acetylsucroses by regioselective enzymic deacetylation, 121

α,β-Panose, hydrogen bonding in the crystal structure of, 47
DL-*threo*-Pentose, 4-(D-alanylamino)-2-amino-2,3,4-trideoxy-, (3-deoxy-DL-prumcyn), total synthesis of, 163
5-(*S*)-Phenylphosphatinothioyl derivative of α-D-xylopyranose, X-ray crystal structure of, 11
5-(*S*)-Phenylphosphinyl derivative of α-D-xylopyranose, X-ray crystal structure of, 11
Polyalcohol prepared from schizophyllan (β-D-glucan) by periodate oxidation and borohydride reduction, properties of the, 223
Polysaccharide from *Encephalartos friderici guilielmi*, studies of an acidic, 215
Properties of the polyalcohol prepared from schizophyllen (β-D-glucan) by periodate oxidation and borohydride reduction, 223

Rats, germ-free, intestinal mucin of, 1
L-Rhamnose and L-glucose, synthesis of derivatives for use as glycosyl donors, 141

Schizophyllan (β-D-glucan), properties of the polyalcohol prepared by periodate oxidation and borohydride reduction, 223
Stereocontrolled synthesis of 2,6-dideoxy sugars by use of 2,6-anhydro-2-thio sugars, *de novo* highly, 173
Structure of the capsular polysaccharide (K98 antigen) of *E. coli* O7:K98:H6, 245
Structure of the major exopolysaccharide produced by *Azotobacter beijerinckii* B-1615, 233

Studies of an acidic polysaccharide from *Encephalartos friderici guilielmi*, 215
Sucrose, preparation of hepta-*O*-acetylsucroses by regioselective enzymic deacetylation of octa-*O*-acetyl-, 121
Sugar derivatives, synthesis of sulfenates of, 271
Sulfenates of sugar derivatives, synthesis of, 271
Synthesis and isolation of 1,2:5,6-di-*O*-isopropylidene-D-mannitol, some new aspects of the, 283
Synthesis and reactivity toward acetylenic dipolarophiles of imidazo[2,1-*b*]thiazolium-3-olate systems, 99
Synthesis of *N*-[1-acetyl-5-(D-*arabino*-tetraacetoxybutyl)-2-methyl-3-pyrroyl]-*N*-phthalimidoacetamide, 267
Synthesis of 2,2′-anhydro-1-(3-deoxy-3-fluoro-4,6-*O*-isopropylidene-*β*-D-altropyranosyl)pyrimidines, a one-spot synthesis of, 277
Synthesis of 6-deoxy-5-*C*-methyl-D-*ribo*-hexose and structure in aqueous solution, total asymmetric, 151
Synthesis of derivatives of L-rhamnose and L-glucose for use as glycosyl donors, 141
Synthesis of some 2-*O*-(2-hydroxyalkyl) and 2-*O*-(2,3-dihydroxyalkyl) derivatives of cyclomaltoheptaose, 113
Synthesis of sulfenates of sugar derivatives, 271
Synthesis of 4-thio-L-rhamnofuranose, 131

4-Thio-L-rhamnofuranose, synthesis of, 131
Total synthesis of glucosidase inhibitors: cyclophellitols, 189

α-D-Xylopyranose, 1,2,4-tri-*O*-acetyl-5-deoxy-3-*O*-methyl-5-[(*S*)-phenylphosphinyl- and -5-[(*S*)-phenylphosphinothionyl-, X-ray crystal structure of, 11